



日本富士端子FUJI Terminal 连接器端子 铜管端子 铜管端子CTL型 (FUJI Terminal Copper tube terminal COPPER TUBE TERMINALS (CTL-TYPE))

采购热线：021-62041958,021-62041956




微信扫一扫左侧二维码，
手机/平板浏览本产品信息

功能特点

铜管端子CTL型
产品介绍：
材质：紫铜

规格尺寸



技术参数

ITEM NO 品名	DIMENSIONS 尺寸 inch(mm)					STANDARD PACKING 包装方式 (PIECE)		WIRE RANGE 电线范围 A.W.G.
	d1	d2	B	L	t	BOX 盒子	CARTON 纸箱	
CTL-810-1P		0.209(5.30)		1.220(31.00)	0.037(0.95)	500	3,000	

CTL-812-1P		0.524(13.3)	0.441(11.20)	1.472(37.40)	0.037(0.95)	500	1,000	8 A.W.G.	
CTL-814-1P		0.283(7.20)		1.220(31.00)		500	3,000		
CTL-8516-1P		0.343(8.70)				500	3,000		
CTL-814-2P	0.185(4.70)	0.283(7.20)	0.591(15.00)	1.311(33.30)	0.037(0.95)	500	3,000		
CTL-8516-2P		0.343(8.70)				500	3,000		
CTL-838-1P		0.402(10.20)				500	3,000		
CTL-838-2P		0.402(10.20)	0.772(19.60)	1.472(37.40)		500	3,000		
CTL-8510-1P		0.524(13.30)			500	3,000			
CTL-610-1P	0.232(5.90)	0.209(5.30)	0.441(11.20)	1.280(32.50)	0.037(0.95)	500	3,000		6 A.W.G.
CTL-612-1P		0.524(13.3)	0.709(18.0)	1.559(39.60)		500	1,000		
CTL-614-1P		0.283(7.20)	0.441(11.20)	1.280(32.50)	0.037(0.95)	500	3,000		
CTL-6516-1P		0.343(8.70)				500	3,000		
CTL-638-1P		0.402(10.20)	0.551(14.00)	500		3,000			
CTL-638-2P		0.402(10.20)	0.591(15.00)	1.409(35.80)		500	3,000		
CTL-614-2P		0.283(7.20)				500	3,000		
CTL-6516-2P		0.343(8.70)				500	3,000		
CTL-6510-1P		0.520(13.20)	0.772(19.60)	1.559(39.60)		500	3,000		
CTL-638-3P		0.402(10.20)				500	3,000		
CTL-410-1P	0.291(7.40)	0.209(5.30)	0.531(13.50)	1.50(38.10)		0.039(1.00)	500	3,000	4 A.W.G.
CTL-412-1P		0.524(13.30)	0.709(18.0)	1.689(42.90)			500	1,000	
CTL-414-1P		0.283(7.20)	0.531(13.50)	1.50(38.10)	0.039(1.00)	500	3,000		
CTL-4516-1P		0.343(8.70)				500	3,000		
CTL-438-1P		0.402(10.20)				500	3,000		
CTL-4516-2P		0.343(8.70)	0.630(16.00)	1.528(38.80)		500	3,000		
CTL-438-2P		0.402(10.20)				500	3,000		
CTL-438-3P		0.402(10.20)				1.689(42.90)	500	3,000	
CTL-4510-1P	0.291(7.40)	0.524(13.30)	0.748(19.00)	1.689(42.90)		0.039(1.00)	500	3,000	4 A.W.G.
CTL-212-1P	0.331(8.40)	0.524(13.30)	0.709(18.00)	1.752(44.50)		0.059(1.50)	200	1,200	2 A.W.G.
CTL-214-1P		0.283(7.20)	0.618(15.70)	1.642(41.70)	200		1,200		
CTL-2516-1P		0.343(8.70)			200		1,200		
CTL-238-1P		0.402(10.20)			400		2,400		
CTL-238-2P		0.402(10.20)	0.750(19.05)	1.752(44.50)	400		2,400		
CTL-2510-1P		0.524(13.30)			200		1,200		
CTL-112-1P	0.362(9.20)	0.524(13.30)	0.709(18.00)	1.772(45.00)	0.049(1.25)	200	1,200	1 A.W.G.	
CTL-114-1P		0.283(7.20)	0.657(16.70)	1.732(44.00)		200	1,200		
CTL-1516-1P		0.343(8.70)				200	1,200		
CTL-138-1P		0.402(10.20)				200	1,200		
CTL-1014-1P		0.283(7.20)				200	1,200		

CLT-10516-1P	0.402(10.20)	0.343(8.70)	0.776(19.70)	1.843(46.80)	0.079(2.00)	200	1,200	1/0 A.W.G.
CTL-1038-1P		0.402(10.20)				200	1,200	
CTL-1012-1P		0.524(13.30)				200	1,200	
CTL-2014-1P	0.461(11.70)	0.283(7.20)	0.811(20.60)	2.067(52.50)	0.055(1.40)	200	1,200	2/0 A.W.G.
CTL-20516-1P		0.343(8.70)				100	600	
CTL-2038-1P		0.402(10.20)				200	1,200	
CTL-2012-1P		0.524(13.30)				100	600	
CTL-3014-1P	0.512(13.00)	0.283(7.20)	0.909(23.10)	2.150(54.60)	0.057(1.45)	100	600	3/0 A.W.G.
CTL-30516-1P		0.343(8.70)				100	600	
CTL-3038-1P		0.402(10.20)				100	600	
CTL-3012-1P		0.524(13.30)				100	600	
CTL-4038-1P	0.559(14.20)	0.402(10.20)	1.004(25.50)	2.331(59.20)	0.067(1.70)	100	600	4/0 A.W.G.
CTL-4012-1P		0.524(13.30)				100	600	
CTL-40516-1P		0.343(8.70)				100	600	